

product description: Designed for use with assembly profiles MP 41X21 and MP 41X41, or with ceiling profiles SPS.  
Fastening is performed using the bolts S 10X20, S10X25, S 10X30 and sliding nuts PM 41 M 10.


surface finish: F - Hot Dip Galvanized according to EN ISO 1461, zinc-layer 55 µm (min. 45 µm)

storage: EN 60721-3-1

\* Some types of assembly accessories are delivered with hole  $\varnothing$  13 mm while stocks last.


type number: **VS 41X03\_F**

weight: 0,26 kg/pc




type number: **VS 41X05\_F**

weight: 0,13 kg/pc




type number: **VS 41X06\_F**

weight: 0,19 kg/pc




type number: **VS 41X08\_F**

weight: 0,26 kg/pc




type number: **VS 41X12\_F**

weight: 0,26 kg/pc




type number: **VS 41X13\_F**

weight: 0,32 kg/pc




type number: **VS 41X16\_F**

weight: 0,27 kg/pc




type number: **VS 41X17\_F**

weight: 0,24 kg/pc




type number: **VS 41X18\_F**

weight: 0,21 kg/pc




type number: **VS 41X20\_F**

weight: 0,35 kg/pc




type number: **VS 41X27\_F**

weight: 0,29 kg/pc




type number: **VS 41X31\_F**

weight: 0,34 kg/pc




type number: **VS 41X36\_F**

weight: 0,21 kg/pc





type number: **VS 41X37\_F**

weight: 0,47 kg/pc



type number: **VS 41X41\_F**

weight: 0,37 kg/pc



 **WARNING****Risk of injury from cutting**

Although the cable trays are produced with maximum effort to minimize sharper edges, it is necessary to wear protective gloves to carry, grip and work with cable elements.

**Electricity injury**

As individual components of cable management systems are made of electrical conductive material, it is essential not to work with a system near live electrical parts. Infringement of the safety regulations may cause serious injury of health or death.

**Safe Use**

Under normal and foreseeable conditions of use, there are no risks to consumers, provided that proper installation and usage are carried out in accordance with the installation manual.

recycling codes:



VS